

**MARCH 2001
AHERA REINSPECTION TABLES FOR
OLD WOODRUFF BUILDING AND TECHNOLOGY BUILDING
PREPARED BY EHS**

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pipe Insulation and Pipe Fittings	Crawlspace	ACBM	Good Condition With Minor Localized Damaged	1	~ 650 Linear Feet	1. Post asbestos warning signs 2. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 3. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Valve Packing and Gaskets	Rooms B1, B2, B3	Assumed ACBM	Good Condition	5	~5 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Wall & Ceiling Plaster	Rooms 4, 4a, 4b, 6b, 13, 15, 15a, 15b, 15c, 22, 22a, B1, B2, B3, RRI-6, JC1-2, Corridors	Assumed ACBM 10-01A ND 10-01B ND 10-01C ND	Good Condition, Significant Damage - 6b, JC2	2	~ 19,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Wall and/or Ceiling Textured Plaster	Rooms 1, 1a, 1c, 2, 2a, 2b, 3, 3a, 5, 11, 13, 16, 21, Corridors	Assumed ACBM 10-02A ND 10-02B ND 10-02C ND	Good Condition	6	~ 22,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Sheetrock, Tape, Jointcompound	Rooms: 2b, 7, 9, 11, 14, 18, 20, 22, 22a, B3	Non-ACBM 30-01 ND 30-02 ND 30-03 ND	Good Condition	X	~ 9,300 Square Feet	
12"x12" Medium/Large Hole (Uniform Pattern) Ceiling Tile, Adhesive	Rooms: 4, 4a, 9, 10, 11, 17	Non-ACBM Sample ND	Good Condition	X	~ 2,500 Square Feet	
12"x12" Mild textured Ceiling Tile, Adhesive	Rooms: 9, West Corridor	Non-ACBM Sample ND	Good Condition	X	~ 1,300 Square Feet	
12"x12" Rough textured Ceiling Tile, Adhesive	Rooms: 2, 18, 19, 20, 21	Non-ACBM Sample ND	Good Condition	X	~ 4000 Square Feet	

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
12"x12" Poc Marked Ceiling Tile, Adhesive	Rooms: 14, 22, 22a	Non-ACBM Sample ND	Good Condition	X	~ 3,200 Square Feet	
12"x12" Medium/Large Hole (Random Pattern) Ceiling Tile, Adhesive	Room: 7	Assumed ACBM	Good Condition	5	~ 400 Square Feet	
12"x12" Medium Hole (Uniform Pattern) Ceiling Tile, Adhesive	Room: 7	Assumed ACBM	Good Condition	5	~ 400 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
2'x4' Suspended Ceiling Tile	Rooms: 4, 4a, 15	Non-ACBM Sample ND	Good Condition	X	~ 850 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
2'x2' Suspended Ceiling Tile	Rooms: RR2, RR7	Assumed ACBM	Good Condition	5	~ 400 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Floor Carpet Adhesive	Rooms: 1, 1c, 2, 2b, 3, 4, 4a, 6, 6a, 7, 8, 9, 10, 11, 15, 15a, 17, 18, 19, 20, 22, 22a,	Assumed ACBM	Good Condition	5	~12,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Wall Carpet Adhesive	Rooms: 2, 6, 7, 9, 14, 18, 20, 22, 22a	Assumed ACBM	Good Condition	5	~ 6,200 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Green Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Rooms 1b, 2, Corridors	Assumed ACBM	Good Condition	5	~ 1,850 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
White & Gray Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Room 10	Assumed ACBM	Good Condition	5	~ 150 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Brown Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Rooms 1, 1a, 1c, 2, 2a, RR6, Corridors	Assumed ACBM	Good Condition	5	~ 1,850 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Tan Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Rooms 4, 4a	Assumed ACBM	Good Condition	5	~ 275 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Tan & White Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Rooms 3, 19	Assumed ACBM	Good Condition	5	~ 3,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Tan & Brown Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Room 11	Assumed ACBM	Good Condition	5	~150 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Tan & Cream Sheet Vinyl Floor Covering (Linoleum), Backing, Adhesive	Room 15C	Assumed ACBM	Good Condition	5	~150 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
9"x9" Tan Floor Tile, Adhesive	Rooms 6b, 11, 17	Assumed ACBM	Good Condition	5	~ 975 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
9"x9" Gray Floor Tile, Adhesive	Room 10	Assumed ACBM	Good Condition	5	~ 720 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
9"x9" White Floor Tile, Adhesive	Rooms 18, 20	Assumed ACBM	Good Condition	5	~ 1,400 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
12"x12" White Floor Tile, Adhesive	Rooms 3a, RR2, RR7	Assumed ACBM	Good Condition	5	~ 300 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
12"x12" Tan Floor Tile, Adhesive	Rooms 15, 15c	Assumed ACBM	Good Condition	5	~ 600 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Brown Base Board Molding, Adhesive	Room 17	Non-ACBM 34-01 ND	Good Condition	X	~ 150 Linear Feet	

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
2" Brown Base Board Molding, Adhesive	Rooms 3 (adhesive only), 3a	Assumed ACBM	Good Condition	5	~100 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Dark Brown Base Board Molding, Adhesive	Rooms 4, 4a, 9, 14, 15, 15a, 15c	Non-ACBM 34-02 ND	Good Condition	X	~ 600 Linear Feet	
4" Purple Base Board Molding, Adhesive	Rooms 11, 22, 22a	Assumed ACBM	Good Condition	5	~460 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Gray Base Board Molding, Adhesive	Room 10	Non-ACBM 34-03 ND	Good Condition	X	~ 100 Linear Feet	

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pink Stainless Steel Sink Undercoating	Room 9	Assumed ACBM	Good Condition	5	1	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Black Stainless Steel Sink Undercoating	Room 14	Assumed ACBM	Good Condition	5	1	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
White Stainless Steel Sink Undercoating	Room 15	Assumed ACBM	Good Condition	5	1	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Red Stage Fire Curtain	Stage	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Old Woodruff Building: Reinspected Asbestos Containing Building Materials, Reinspection Date: March 17, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Tan Stage Fire Curtain	Stage	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Gray Duct Caulking	Attic	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Gray Attic Insulation	Attic	Assumed ACBM	Good Condition	5	Building Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Window Glaze	B3	Assumed ACBM	Good Condition	5	~ 100 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Window Caulking	All Rooms With Windows	Assumed ACBM	Good Condition	5	~ 8,000 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

AHERA Assessment Categories

1. Damaged or significantly damaged TSI ACBM
2. Damaged friable surfacing ACBM
3. Significantly damaged friable surfacing ACBM
4. Damaged or significantly damaged friable miscellaneous ACBM
5. ACBM with the potential for damage
6. ACBM with the potential for significant damage
7. Any remaining friable suspect ACBM
- x. Not Applicable (Material is non-ACBM or non-friable surfacing or miscellaneous material)

Inspector: Lib Hill Date: May 4, 2001

Management Planner: Steve Bulbas Date: May 7, 2001

LEA: Paul B. Johnson Date: 5.8.01

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pipe Insulation and Pipe Fittings	Rooms 100, 101, 101b, 102, 102a, 106, 108, 111, 111a, 111b, 111c, 111d, Corridor 1, Tunnels	ACBM	Good Condition	1	~1,000 Linear Feet	1. Post asbestos warning labels 2. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 3. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Sprayed-on Fire Proofing	Room 111, 111a, 111b	Non-ACBM Sample #1 ND Sample #2 ND Sample #3 ND Sample #4 ND Sample #5 ND	Good Condition	6	~ 5,000 Square Feet	
Wall and Ceiling Plaster	Rooms 101, 102, 104, 106, 110, 110a, 201, 202, 203, 204, 206, 210, 212, Corridors 1, 2	Assumed ACBM 10-01 ND 10-02 ND 10-03 ND	Good Condition	5	~ 12,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Sheetrock, Tape, Joint Compound	Rooms 110, 110a, 211, 201	Assumed ACBM Sample #1 ND	Good Condition	5	~ 500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Black Vinyl Vibration Dampener	Room 108	Assumed ACBM	Good Condition	5	~100 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Gray Duct Caulk	Rooms 111, 111d, 108, 201, 201b, 202, 203, 204, 206, 211, 211b, 213	Assumed ACBM	Good Condition	5	~1,500 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
White Duct Sealant	Room 211A	Assumed ACBM	Good Condition	5	~ 500 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
2'x4' Suspended Ceiling Tile, Spray-on Pattern	Room 101, 102, 102a, 110, 110a, 106, Corridor 1	Assumed ACBM	Good Condition	5	~ 4,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
12"x12" Rough textured Ceiling Tile, Adhesive	Rooms 201, 201a, 201b, 202, 203, 204, 206, 210, 211, 212, Corridor 2	Non-ACBM 31-01 ND	Good Condition with some minor localized water damage	X	~ 6,250 Square Feet	
12"x12" Mild Textured Ceiling Tiles, Adhesive	Rooms 102, 104, 106, Shop Corridor	Non-ACBM 31-02 ND	Good Condition with some minor localized water damage	X	~ 1,800 Square Feet	
9"x9" Tan Floor Tiles, Adhesive	Rooms 101, 102, 104, 106, 110a, 111c, 201, 202, 203, 204, 205, Corridors 1, 2	Assumed ACBM	Good Condition	5	~ 7,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Floor Carpet Adhesive	Rooms 102, 110, 111, 111a, 111d, 202, 204, 206, 211, 213	Assumed ACBM	Good Condition	5	~ 5,500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Purple Floor Carpet Adhesive	Room 106	Assumed ACBM	Good Condition	5	~ 500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Brown Base Board Molding, Adhesive	Rooms 100, 101, 101b, 102a, 102b, 104, 202, 203, 204, 206, 206a, 208, 211a, 211b, corridors 1, 2	Non-ACBM 34-01 ND	Good Condition	X	~ 2,300 Linear Feet	
4" Brown Base Board Molding, Adhesive (New Type)	Room 211	Non-ACBM 34-02 ND	Good Condition	X	~ 275 Linear Feet	
4" Maroon Base Board Molding, Adhesive	Rooms 201, 201a, 201b, 201c, 201d, 213	Non-ACBM 34-03 ND	Good Condition	X	~ 750 Linear Feet	

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
4" Purple Base Board Molding, Adhesive	Rooms 106, 204	Assumed ACBM	Good Condition	5	~ 250 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Dark Brown Base Board Molding, Adhesive	Rooms 110, 110a	Assumed ACBM	Good Condition	5	~500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Transite Cabinet Lining	Room 201b	Assumed ACBM	Good Condition	5	~ 5 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Interior Kiln Brick	Room 201b	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pink Coated Stainless Steel Sink Basin Undercoating	Room 201	Assumed ACBM	Good Condition	5	4 Basins	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Incandescent Light Reflective Pad	Rooms 100, 101, 102, 104, 106, 111, 201, 202, 203, 204, 206, 211	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

AHERA Assessment Categories

1. Damaged or significantly damaged TSI ACBM
2. Damaged friable surfacing ACBM
3. Significantly damaged friable surfacing ACBM
4. Damaged or significantly damaged friable miscellaneous ACBM
5. ACBM with the potential for damage
6. ACBM with the potential for significant damage
7. Any remaining friable suspect ACBM
- x. Not Applicable (Material is non-ACBM or non-friable surfacing or miscellaneous material)

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Inspector: W. Paul

Date: May 7, 2001

Management Planner: Steve Bell

Date: May 8, 2001

LEA: _____

Date: _____

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pipe Insulation and Pipe Fittings	Rooms 100, 101, 101b, 102, 102a, 106, 108, 111, 111a, 111b, 111c, 111d, Corridor 1, Tunnels	ACBM	Good Condition	1	~1,000 Linear Feet	1. Post asbestos warning labels 2. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 3. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Sprayed-on Fire Proofing	Room 111, 111a, 111b	Non-ACBM Sample #1 ND Sample #2 ND Sample #3 ND Sample #4 ND Sample #5 ND	Good Condition	6	~ 5,000 Square Feet	
Wall and Ceiling Plaster	Rooms 101, 102, 104, 106, 110, 110a, 201, 202, 203, 204, 206, 210, 212, Corridors 1, 2	Assumed ACBM 10-01 ND 10-02 ND 10-03 ND	Good Condition	5	~ 12,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Sheetrock, Tape, Joint Compound	Rooms 110, 110a, 211, 201	Assumed ACBM Sample #1 ND	Good Condition	5	~ 500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Black Vinyl Vibration Dampener	Room 108	Assumed ACBM	Good Condition	5	~100 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Gray Duct Caulk	Rooms 111, 111d, 108, 201, 201b, 202, 203, 204, 206, 211, 211b, 213	Assumed ACBM	Good Condition	5	~1,500 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
White Duct Sealant	Room 211A	Assumed ACBM	Good Condition	5	~ 500 Linear Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
2'x4' Suspended Ceiling Tile, Spray-on Pattern	Room 101, 102, 102a, 110, 110a, 106, Corridor 1	Assumed ACBM	Good Condition	5	~ 4,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
12"x12" Rough textured Ceiling Tile, Adhesive	Rooms 201, 201a, 201b, 202, 203, 204, 206, 210, 211, 212, Corridor 2	Non-ACBM 31-01 ND	Good Condition with some minor localized water damage	X	~ 6,250 Square Feet	
12"x12" Mild Textured Ceiling Tiles, Adhesive	Rooms 102, 104, 106, Shop Corridor	Non-ACBM 31-02 ND	Good Condition with some minor localized water damage	X	~ 1,800 Square Feet	
9"x9" Tan Floor Tiles, Adhesive	Rooms 101, 102, 104, 106, 110a, 111c, 201, 202, 203, 204, 205, Corridors 1, 2	Assumed ACBM	Good Condition	5	~ 7,000 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Floor Carpet Adhesive	Rooms 102, 110, 111, 111a, 111d, 202, 204, 206, 211, 213	Assumed ACBM	Good Condition	5	~ 5,500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Purple Floor Carpet Adhesive	Room 106	Assumed ACBM	Good Condition	5	~ 500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Brown Base Board Molding, Adhesive	Rooms 100, 101, 101b, 102a, 102b, 104, 202, 203, 204, 206, 206a, 208, 211a, 211b, corridors 1, 2	Non-ACBM 34-01 ND	Good Condition	X	~ 2,300 Linear Feet	
4" Brown Base Board Molding, Adhesive (New Type)	Room 211	Non-ACBM 34-02 ND	Good Condition	X	~ 275 Linear Feet	
4" Maroon Base Board Molding, Adhesive	Rooms 201, 201a, 201b, 201c, 201d, 213	Non-ACBM 34-03 ND	Good Condition	X	~ 750 Linear Feet	

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
4" Purple Base Board Molding, Adhesive	Rooms 106, 204	Assumed ACBM	Good Condition	5	~ 250 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
4" Dark Brown Base Board Molding, Adhesive	Rooms 110, 110a	Assumed ACBM	Good Condition	5	~500 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Transite Cabinet Lining	Room 201b	Assumed ACBM	Good Condition	5	~ 5 Square Feet	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Interior Kiln Brick	Room 201b	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Material Description	Material Location	Asbestos Content	Current Condition	Category	Quantity	Recommendations
Pink Coated Stainless Steel Sink Basin Undercoating	Room 201	Assumed ACBM	Good Condition	5	4 Basins	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.
Incandescent Light Reflective Pad	Rooms 100, 101, 102, 104, 106, 111, 201, 202, 203, 204, 206, 211	Assumed ACBM	Good Condition	5	Not Quantified	1. Continue O/M Program, provide periodic surveillance, (not to exceed every six months) and reinspect at least every three years. 2. Continue O/M Program until funding is available, remove the asbestos-containing TSI in accordance with AHERA regulations.

AHERA Assessment Categories

1. Damaged or significantly damaged TSI ACBM
2. Damaged friable surfacing ACBM
3. Significantly damaged friable surfacing ACBM
4. Damaged or significantly damaged friable miscellaneous ACBM
5. ACBM with the potential for damage
6. ACBM with the potential for significant damage
7. Any remaining friable suspect ACBM
- x. Not Applicable (Material is non-ACBM or non-friable surfacing or miscellaneous material)

Logan High School Technology Building: Reinspected Asbestos Containing Building Material, Reinspection Date: March 10, 2001

Inspector: Kit Paul Date: May 7, 2001

Management Planner: Steve Bellac Date: May 8, 2001

LEA: Paul B. Jensen Date: 5-8-01